

PORCH ENCLOSURES



LUDMAN *Windo Tite*

JALOUSIES



practical *beauty* + year 'round *Comfort*



LUDMAN *WindoTite*
"Believe me ... **JALOUSIES**

worked a miracle with my home..."

"Our porch was just another porch. We used to eat out there on hot summer nights, but our next door neighbors spent all their time staring at us...and when it rained! We needed a bucket brigade to clean up the water!


"But that was before we put in *WindoTite* Jalousies... Now we have a rainproof porch, 100% ventilation when we want it, privacy...and an extra room in winter."

And that's the kind of story you hear...everywhere. Exotic *Windo Tite* Jalousies, first designed to control tropic weather, now add beauty and comfort to living right here at home!

You see them in luxury homes...yet they're so economical you needn't wait a day to convert your breezeway or porch into a bright new room!




Before



After

"They made our porch private and rainproof in summer...and an extra room in winter!"



"Windo Tite Jalousies are wonderful for breezeways, too!"

LUDMAN WindoTite JALOUSIES

Add a "YEAR 'ROUND ROOM" to your home. Enclose your porch with the new, exciting picture window THAT OPENS!



JALOUSIES LET AIR IN —
KEEP RAIN OUT!

GIVE YOUR HOME

A Brand new Look!

WindoTite Jalousies are new and exciting, yet they are practical from every standpoint. Their distinctive horizontal lines blend perfectly with all types of architectural design. If you're planning to remodel, WindoTite Jalousies offer you building economy you can't afford to overlook. If you need an extra, livable room, WindoTite Jalousies will transform your porch or breezeway into the "show place" you've dreamed about...wonderfully weathertight, too!

HERE ARE IMPORTANT, EXCLUSIVE WindoTite FEATURES YOU SHOULD CONSIDER:

ENJOY 100% VENTILATION

WindoTite Jalousies open to a full 110 degrees...to catch every last bit of breeze. Your Jalousied porch will be 10 to 20 degrees cooler than any other room during hot weather.

100% PROTECTION, TOO

WindoTite louvers lock in any position... prowler proof!

INSTANTANEOUS CONTROL

Only finger-tip, "feather-light" effort required to adjust louvers with handsome compact rotator. WindoTite handle does not interfere with drapes or blinds.

FORGET ABOUT MAINTENANCE

They're "lifetime" aluminum! No painting... no rusting. Precision balanced aluminum

alloy hardware requires no adjustment ever. WindoTite Jalousies are easier to clean than ordinary windows. Inside screens and storm sash stay bright and clean forever.

INTERCHANGEABLE INSIDE SCREENS AND STORM SASH

You'll convert your porch for summer or winter in a jiffy! With storm sash replacing screens in winter, you get 12 full months of comfort and enjoyment from your WindoTite Jalousies.

TENSION-GRIP LOUVER CLIPS*

No other jalousie gives you this feature! You can replace glass yourself — without an expert! Tension-Grip Louver Clips eliminate rattle...assure tight fitting glass. Glass slips in, clicks tight!

*pat. applied for

QUICK, NEAT, CLEAN INSTALLATION

Your authorized Ludman WindoTite dealer can convert your porch speedily with a minimum of inconvenience to you and your family. Easy installation features of WindoTite eliminate usual fuss and bother. Result in a better

LUDMAN WindoTite JALOUSIES

The Ludman engineered for beauty and ease of maintenance. Here are the finest engineering and the world's most famous manufacturer of jalousies. Ludman Jalousies are made of the finest materials and are built to last. WindoTite Jalousies are a quality product. They are other makers. The product is the best. Any WindoTite feature is not a feature in an

*More Livable
More Beautiful*

YOUR HOME can be made more livable...
more beautiful...with Windo Tite Jalousies and
Ludman Jalousie Doors. See your reliable
authorized Ludman dealer for complete,
competent jalousie service.



LUDMAN *Jalousie Doors*

Bring light to dark hallways! Cool off hot
kitchens! Ludman Jalousie Doors with wood
or glass louvers actually make 3 doors in one:

- 1 Replace regular door and provide 100%
ventilation control.
- 2 Eliminate old fashioned "extra" screen
doors, because screen is an integral
part of jalousie door.
- 3 Easily attached storm panel eliminates
need for storm door, and "self stores"
screen at the same time.

ENGINEERED FOR LEADERSHIP BY


LUDMAN
Corporation
N. MIAMI • FLORIDA

World's Largest Manufacturer of Jalousies and Awning Windows

1/16 DROPS - 47 50
54 50

Vent V ue

Jalousie




EVERY WINDOW A PICTURE WINDOW

VENT VUE JALOUSIE THE WORLD


VENTILATION

The entire window area is used to ventilate your home with draft-free air circulation even during rain. 100% air flow is obtained when louvers are in open position.



BEAUTY & DESIGN

The clear unobstructed view of Vent Vue Jalousies achieves a picture window effect. Only highest quality materials are used assuring long lasting trouble free service. All aluminum construction that will never rust or need painting. Secur-Lock louver clip needs no adjusting or bending. This newly designed clip locks the glass in its own tension grip.



ALUMINUM SCREENS

Flange type screen designed with an overlapping frame that keeps out insect pests. Screens are removable from the inside only, permitting easy washing of vanes.



CONSTRUCTION

Built to end all window maintenance worries — all precision hardware, heavy extruded aluminum frame (63 ST5). No puttying, no weighty cords, or hinges.

New Design Drip Cap Symmetrically Beautiful. Keeps drainage water of roof from streaking and dirtying the glass Louvers: its design adds beauty and individuality to the Jalousie.



VENT VUE DOOR

This door is really three doors in one — screen, regular and storm. Saves floor space, allows maximum light and ventilation. Every moving part has been tested and inspected for lifetime wear.



Vent Vue

Don't be
the most versatile and functional w
ments of old windows in porche



Functional Design and Beauty...

D'S MOST VERSATILE WINDOW

jalousie

available in clear,
obscuré and heat
resistant Solex glass

the old fashioned — the jalousie window has proven to be
a window yet designed for new construction or replace-
ments, homes, breezeways, etc. Vent Vue is the product
of years of precision engineering and advanced
manufacturing "know how."




Lifetime All-Aluminum Construction



K-D INSTALLATION

Vent Vue Jalousies can be easily installed by anyone who can handle a screw driver. Its exclusive K-D features make it possible by a simple hack sawing operation, to make a special custom Jalousie in a matter of a few minutes. Assemble on the job with only a screw driver and eight screws. No unnecessary delays.

The Head, Sill and Jambs are completely weatherstripped with the most durable and efficient of all weatherstripping.



"T" Type (63ST5) extruded Aluminum. Structurally stronger than any other type Mullion.

K-D EXCLUSIVE FEATURES

Vent Vue Jalousies can be shipped either K-D or assembled as desired. Vent Vue K-D units reduce storage space, gives flexibility of sizes where shipping is required, reduces freight cost.

The Vent Vue K-D units can be bought in increments of 4" width. For sizes in between the increments, a simple straight cut with a hack saw is all that is necessary.

Jambs are in 3 1/2" increments.

STOCK SIZES

WINDOW SPECIFICATIONS

FRAMES—(63ST5) Heavy gauge extruded aluminum. Weatherstripped around the entire inside perimeter of frame.


LOUVERS—4" wide pivoted 3 1/2" on centers. Glass overlaps 1/2" per louver.

Glass is 3/32" clear crystal or obscure pattern webbed edges.

SCREENS—18 x 14 heavy coated aluminum wire screen in aluminum frame. Screens are overlap type and are removable, and can be interchanged with Storm Sash when needed.

HARDWARE—Rustproof aluminum alloy operating mechanism. Worm and gear type using small crank for operation.

Type No.	Overall Dimensions	Buck Dimensions
V-12	19 x 26	18 x 25
V-13	19 x 38 1/4	18 x 37 1/4
V-14	19 x 50 5/8	18 x 49 5/8
V-15	19 x 63	18 x 62
V-22	37 x 26	36 x 25
V-23	37 x 38 1/4	36 x 37 1/4
V-24	37 x 50 5/8	36 x 49 5/8
V-25	37 x 63	36 x 62
V-32	53 1/8 x 26	52 1/4 x 25
V-33	53 1/8 x 38 1/4	52 1/4 x 37 1/4
V-34	53 1/8 x 50 5/8	52 1/4 x 49 5/8
V-35	53 1/8 x 63	52 1/4 x 62
V-32/1	26 1/2 x 26	25 1/2 x 25
V-33/1	26 1/2 x 38 1/4	25 1/2 x 37 1/4
V-34/1	26 1/2 x 50 5/8	25 1/2 x 49 5/8
V-35/1	26 1/2 x 63	25 1/2 x 62



DOORS

STANDARD SIZES

2'6" x 6'8"	2'8" x 7'0"
2'6" x 7'0"	3'0" x 6'8"
2'8" x 6'8"	3'0" x 7'0"

Also available in half panel doors

All door rims are 1 3/4" Douglas Fir containing an extruded aluminum insert, available in your choice of clear or obscure glass with removable aluminum screen.

Vent Vue WINDOW Corporation

PHONE
NE 5-1401

7400 N.W. 37th AVENUE • MIAMI, FLORIDA

DISTRIBUTED BY

LIKE RUBBING

Aladdin's

LAMP



It's a thrilling adventure in light and beauty . . . to gain an extra room and new comfort and convenience. You can transform a porch or breezeway into a luxurious modern room in a few short days, with beautiful, easy-to-buy, easy to install Windo Tite Jalousies.

LUDMAN

Windo Tite

GLASS JALOUSIES

Offer you a new way of luxurious living.

Enjoy fresh air all the time, even when it rains . . .

enjoy outdoor living indoors . . .

with full privacy and security.





FOR FREE ESTIMATE CALL


LUDMAN

Windo Tite

GLASS JALOUSIES

Gave me a beautiful
EXTRA *room!*





WHAT'S ALL THE *Excitement* ON 12TH ST.



That new look! Attractive and eye-catching . . . as trim and clean-lined as an artist's drawing of a prize winning home! All because the Joneses are keeping up with the world. They're living in brighter beauty with new Windo Tite Jalousies.

LUDMAN

Windo Tite



You can keep up with the Joneses and enjoy a whole new kind of comfort. Fresh air all the time, even when it rains . . . and the dry luxury of outdoor living indoors, with full privacy and security.



FOR FREE ESTIMATE CALL

LUDMAN

Windo Tite JALOUSIES

have transformed
the **JONES'** front porch!



BREEZEWAYS

SIDE PORCHES

Announcing...

STORMMASTER

all aluminum glass louvered

Jalousie

WINDOWS and DOORS

POSITIVE SEALED for winter warmth
and summer comfort to insure year
round sales for **YOU!**

- 63st5 Aluminum (the finest available!)
- Balanced rattle-free louvers held by stainless steel springs!
- Heavy embossed kick plate!
- Pneumatic door check!
- Vinyl weather-stripped head and sill!
- All Aluminum weather-stripped jamb and clip!
- Interlocking clips! New design drip cap!
- 4" glass, clear, obscure, or solex!
- Stainless steel hinges!
- Extra rigid, specially engineered corners!
- Easily assembled KD units!

Thousands of door and window units in all sizes at all times. **IMMEDIATE DELIVERY!** Spectacular discounts, if you act now!

NEW YORK
STORMMASTER
INC.

2676 DYRE AVENUE


Call Airbanks 4-8076 Bronx 66, N. Y.

WAREHOUSE

249 BRICHO TURNPIKE

meola


Pioneer 6-1166



Your Choice!
**ALL ALUMINUM or
ALL WOOD**
Glass Louvered
**JALOUSIE
DOORS**



**Higher Quality!
Lower Costs!
Better Service!**
... when you
buy Storm



LUDMAN *Window Treatments*
JALOUSIES LUDMAN Corporation MIAMI, FLORIDA

NEW YORK STORMMASTER INC.


Manufacturers of Aluminum Windows and Doors

3670 DYRE AVENUE
BRONX 66, N. Y.
FAIRBANKS 4-8070

JALOUSIE PRICE LIST

All sizes listed are "Overall" flange sizes. For buck sizes deduct 1" height and width. Vertical and horizontal mullions are $\frac{1}{8}$ ". Be sure to figure $\frac{1}{8}$ " for each mullion when two or more units are to be used in one opening.

COMPLETE FRAMES, SCREENS and GLASS

Width Height 	17"	21"	25"	29"	33"	37"	41"	No. Louvers
17½	18.75	20.05	21.55	22.95	24.40	25.85	27.75	4
21	20.55	21.95	23.55	25.05	26.65	28.15	30.30	5
24½	22.30	23.80	25.55	27.15	28.85	30.50	32.85	6
28	24.10	25.70	27.60	29.25	31.10	32.85	35.40	7
31½	25.90	27.60	29.60	31.40	33.30	35.20	37.50	8
35	27.70	29.45	31.60	33.50	35.50	37.50	40.50	9
38½ 3/8	29.45	31.35	33.60	35.60	37.75	39.85	43.00	10
42	31.25	33.20	35.65	37.70	39.95	42.15	45.60	11
45½	33.05	35.10	37.75	39.80	42.15	44.50	48.15	12
49	34.85	37.00	39.65	41.90	44.40	46.85	50.50	13
50 5/8	34.85	37.00	39.65	41.90	44.40	46.85	50.50	13
52½	36.60	38.85	41.65	43.95	46.60	49.20	53.20	14
56	38.40	40.75	43.70	46.10	48.85	51.50	55.80	15
59½	40.20	42.60	45.70	48.20	51.05	53.85	58.30	16
63	42.00	44.50	47.70	50.35	53.25	56.15	60.90	17
66½	46.80	49.35	52.75	55.45	58.50	61.50	66.40	18
70	48.55	51.25	54.75	57.55	60.70	63.85	69.00	19
73½	50.35	53.15	56.75	59.65	62.90	66.15	71.50	20
76¾	52.15	55.00	58.80	61.75	65.15	68.50	74.10	21
80½	53.90	56.90	60.80	63.85	67.35	70.85	76.60	22
84	55.70	58.75	62.80	65.95	69.60	73.15	79.15	23
87½	57.50	60.65	64.80	68.10	71.80	75.50	81.70	24
91	59.30	62.55	66.85	70.20	74.00	77.85	84.30	25
94½	61.05	64.40	68.85	72.30	76.25	80.15	86.80	26

Double operators in all sizes 66½ and over.


Additional operators \$1.50 net.

Mullions \$1.00 ft. (including necessary bolts and nuts).


Picture window sections \$1.65 (includes beading).

Sizes to 119" available.

Windows cut to exact sizes in width \$1.00 net.




TOP LOUVER



ALL CENTER AND BOTTOM LOUVERS

SECTION SHOWING SCREEN INSTALLATION



EXPLODED VIEW

INSERTS. APPLY WIRE CLOTH AS NOTED.

⑧ INSTALL SCREEN TO JALOUSIE WITH SCREEN FASTENINGS FURNISHED. USE TWO SCREEN ANCHORS ON JAMBS OF ALL JALOUSIES OVER 55" HIGH.

⑨ SEE REVERSE SIDE FOR ADJUSTABLE MULLION DETAILS AND USAGE.

⑩ SEE REVERSE SIDE FOR JALOUSIE AND PICTURE WINDOW COMBINATIONS.

OPERATOR LOCATION

4 THROUGH 17 LOUVERS

SINGLE OPERATOR ON EITHER LOWER INSIDE CORNER

18 THROUGH 26 LOUVERS

DOUBLE OPERATOR LOCATED ON INSIDE RIGHT JAMB WITH OPERATION SPLIT AS INDICATED:

- LOUVERS COUNT UP FROM SILL - NO. OF LOUVERS SPLIT BETWEEN

18	9 & 10
19	9 & 10
20	10 & 11
21	10 & 11
22	11 & 12
23	11 & 12
24	12 & 13
25	12 & 13
26	13 & 14

SIZE CHART

STD. HEIGHTS

'H'	LOUVERS
16½"	4
20"	5
23½"	6
27"	7
30½"	8
34"	9
37½"	10
41"	11
44½"	12
48"	13
51½"	14
55"	15
58½"	16
62"	17
65½"	18
69"	19
72½"	20
76"	21
79½"	22
83"	23
86½"	24
90"	25
93½"	26

STD. WIDTHS.

'W' (ACTUAL DIMENSION 1/4" LESS)	'G'
16"	14"
18"	16"
20"	18"
22"	20"
24"	22"
26"	24"
28"	26"
30"	28"
32"	30"
34"	32"
36"	34"
38"	36"
40"	38"

120" LONG STD. MULLION PL.


TYPE	'MW'	LIMITS OF ADJUSTMENT
"A"	1 3/8"	1/4" - 1"
"B"	2"	1/8" - 1 5/8"
"C"	2 5/8"	1 1/2" - 2 1/4"

LUDMAN *Window Treatments*
JALOUSIES

FLANGELESS JALOUSIE

LUDMAN Corporation

NORTH MIAMI, FLORIDA





GENERAL NOTES


- ① PLACE JALOUSIE FRAME HEAD AND SILL IN POSITION FOR FASTENING TO JAMB MEMBERS. SCREW MEMBERS TOGETHER WITH PAN HEAD SELF-TAPPING SCREWS FURNISHED. TURN SCREWS INTO EXTRUDED GROOVES OF HEAD AND SILL MEMBERS.
- ② JALOUSIE FRAME NOW READY FOR INSTALLATION. MUST BE INSTALLED PLUMB AND LEVEL IN OPENING OF PROPER SIZE. DO NOT DISTORT OR BOW FRAME HEAD, JAMB, OR SILL MEMBERS WHEN ANCHORING IN PLACE.
- ③ INSTALL TOP GLASS LOUVER FIRST. INSERT FROM OUTSIDE AND SLIDE PAST THE SPRING RE-

- TAINING CLIP. BEND THE LIP OF THE GLASS CLIP AS SHOWN. POSITION LOUVER PROPERLY.
- ④ TURN CLIPS AS SHOWN. FLEX SPRING CLIP BACK AND INSERT REMAINING GLASS. SPRINGS WILL RETURN TO NORMAL POSITION HOLDING GLASS FIRMLY IN PLACE.
- ⑤ INSERT OPERATOR IN JAMB SLOT. SLIP ARM ON LINK STUD AND SNAP ON "C" WASHER. BOLT OPERATOR TO JAMB USING NUTS SUPPLIED.
- ⑥ OPERATOR SHAFT IS SPLINED FOR EITHER 'TEE' HANDLE OR CRANK HANDLE. SPECIFY WHICH.
- ⑦ ASSEMBLE SCREEN FRAME WITH CORNER

NOTE: PICTURE WINDOW AND JALOUSIE ARE JOINED BY USE OF BOLTS THROUGH MOUNTING HOLES, ELIMINATING USE OF A MULLION.




TYPICAL OUTSIDE VIEW
PICTURE WINDOW WITH JALOUSIE FLANKERS



TYPICAL OUTSIDE VIEW
PICTURE WINDOW WITH JALOUSIE FLANKER

PICTURE WINDOW HEAD


WITH GLAZING BEAD FOR $\frac{1}{4}$ " PLATE GLASS



PICTURE WINDOW SILL

WITH GLAZING BEAD FOR 1" THERMOPANE.



ADJUSTABLE



LUDMAN "MAGIC MULLION"

THE NEW "MAGIC MULLION," ENGINEERED BY LUDMAN, IS THE ANSWER TO "PROBLEM" INSTALLATIONS WHERE STANDARD SIZE WINDOWS WILL NOT FIT. LUDMAN'S "MAGIC MULLION" IS THE LOW COST METHOD TO QUICK, EASY WINDOW INSTALLATIONS. SIMPLY MEASURE THE OPENING, SELECT THE WIDTH JALOUSIES THAT WILL MOST NEARLY FILL IT AND ORDER MULLIONS AS SHOWN BELOW.

AVAILABLE IN THREE SIZES





NOW.....POSITIVE MULLION WEATHERING WITH A RUGGED, SIMPLE MULLION. THREE "V'S" ON EACH LEG CLAMP ON JALOUSIE FLANGES, FORCING MASTIC INTO GROOVES UNDER PRESSURE. THEREFORE, NOT ONE, BUT THREE SEPARATE BEADS OF MASTIC FORM A CONTINUOUS BARRIER TO RAIN AND WIND.

SKETCH AT LEFT SHOWS THE THREE CONSECUTIVE BEADS OF MASTIC..... A BARRIER VIRTUALLY IMPOSSIBLE TO PASS.

SHOULD INSTALLATION REQUIRE FULL LIMITS OF MULLION ADJUSTMENT.....

NOTCHING OF HEAD AND SILL WILL BE NECESSARY.

1. PLACE JALOUSIES IN OPENING TO DETERMINE EXACT SPACE BETWEEN UNITS.
2. SET MULLION SELECTED AGAINST HEAD AND SILL OF JALOUSIE AND SCRIBE HEAD DRIP AND WEATHERSTRIP RETAINER GROOVE AT SILL.
3. REMOVE JALOUSIE FROM OPENING AND CUT OUT UNWANTED MATERIAL.
4. SEE ILLUSTRATIONS OPPOSITE WHICH SHOW HEAD BEFORE CUTTING AND SILL AFTER CUTTING.
5. NOTE: AMOUNT OF CUT BACK, DIMENSION "A", SHOULD NEVER EXCEED $1\frac{3}{32}$ ".



HURRICANE TESTED
AND APPROVED




THE PRODUCT THAT HAS IT
EARNS IT!


LUDMAN *Winds Title*
JALOUSIES

FLANGELESS PICTURE
WINDOW & MAGIC MULLION


LUDMAN *Corporation*
NORTH MIAMI, FLORIDA



- HORIZONTAL SECTION -
SCALE: ONE-HALF SIZE



- SECTIONS SHOWING TOP LOUVER
GLASS INSTALLATION -




- VERTICAL
SHOWING
STALLAT

ASSEMBLY INSTRUCTIONS

1. SECURE "Z" BAR HARDWARE ASSEMBLIES TO DOOR STILES MAKING SURE HARDWARE RESTS ON BOTTOM RAIL.
2. FASTEN SILL COVER PLATE TO BOTTOM DOOR RAIL.
3. INSTALL DRIP MOLD AND DRIP CAP. THEN LOOSEN SCREWS ENOUGH TO SLIDE DRIP CAP. SEE 7, AT RIGHT.
4. ATTACH SCREEN RETAINING MOLD. SEAL MITERED CORNERS WITH MASTIC.
5. LOCATE AND SCREW ON OPERATOR MOUNTING BRACKET FLUSH WITH STILES.
6. INSERT OPERATOR IN MOUNTING BRACKET SLOT.

7. REMOVE DRIP CAP. SLIP ARM ON LINKER AND SCREW. BO OPERATOR FOR DOG WITH "TEE" HANDLE.
8. TURN CLIPS TO OPEN F. SERT REMAINING GL.
9. TURN LOUVERS TO CL THE DRIP CAP.
10. FASTEN OPERATOR COVER SUPPLIED.



SECTION -
GLASS IN-
TION.

K HUB, AND INSERT WASH-
BOLT OPERATOR TO BRACKET.
OR HARDWARE IS SUPPLIED.
E.
SPRING BACK TOP OF OPERAT-
IDES TO RELEASE TOP CLIPS.
TO FORWARD POSITION, FLEX
INSERT GLASS FROM OUTSIDE.
OPERATOR BARS.
POSITION, FLEX SPRINGS, IN-
GLASS LOUVERS.
CLOSED POSITION AND INSTALL
ER PLATE WITH SCREWS

- VERTICAL SECTION -
SCALE: ONE-HALF SIZE
NOTE:

HEAD CONDITION
FOR 7'-0" DOOR


SIZE CHART

STANDARD HEIGHTS


DOOR HEIGHT	"H"	NO. LOUVERS	SCREEN HEIGHT
6' - 8"	63"	18	63 $\frac{1}{4}$ "
7' - 0"	67"	19	66 $\frac{3}{4}$ "

STANDARD WIDTHS

DOOR WIDTH	"W"	"G"	SCREEN WIDTH
2' - 6"	19 $\frac{7}{8}$ "	18"	17 $\frac{3}{8}$ "
2' - 8"	21 $\frac{7}{8}$ "	20"	19 $\frac{3}{8}$ "
3' - 0"	25 $\frac{7}{8}$ "	24"	23 $\frac{3}{8}$ "



SCREEN MOLD
MILLING







TYPICAL
OUTSIDE VIEW

LUDMAN *Windo Tite*
JALOUSIES

1 $\frac{3}{4}$ " JALOUSIE DOOR
WITH REMOVABLE SCREEN.....
INTERCHANGEABLE
WITH STORM SASH

LUDMAN Corporation
NORTH MIAMI, FLORIDA





LUDMAN *Windo Tote*
JALOUSIES

1 $\frac{3}{4}$ " JALOUSIE DOOR
WITH REMOVABLE SCREEN.....
INTERCHANGEABLE
WITH STORM SASH

LUDMAN *Corporation*
NORTH MIAMI, FLORIDA



LUDMAN *Windo Tite*

JALOUSIES

LUDMAN *Corporation*

MIAMI, FLORIDA



LUDMAN *Window Tite*

JALOUSIES

LUDMAN *Corporation*

MIAMI, FLORIDA



do Tite
IES LUDMAN Corporation MIAMI, FLORIDA



LUDMAN *Window Tite*

JALOUSIES

LUDMAN *Corporation*

MIAMI, FLORIDA